

<b>14. BIBLIOGRAPHY</b>	<b>14-1</b>
<b>14.1 Section 14.1 Bibliography for Background to the Washout Study</b>	<b>14-7</b>

## 14. BIBLIOGRAPHY

- Adverse reactions to bendrofluazide and propranolol for the treatment of mild hypertension. Report of Medical Research Council Working Party on Mild to Moderate Hypertension. Lancet, 2: 539-543, 1981.
- Agresti A. Categorical Data Analysis, New York, John Wiley 1990.
- American Diabetes Association. Detection and management of lipid disorders in diabetes. Diabetes Care, 16:828-834, 1993.
- American Diabetes Association. Nutritional recommendations and principles for individuals with diabetes mellitus. Diabetes Care, 18 (Suppl 1): 16-19, 1995.
- American Diabetes Association. Report of the expert committee on the diagnosis and classification of diabetes mellitus. Diabetes Care, 20 (7), 1997.
- American Diabetes Association. Screening for diabetes. Diabetes Care, 13:7-9, 1990.
- Annuzzi G, Vaccaro O, Caprio S, Di Bonito P, Caso P, Riccardi G, Rivellese A. Association between low habitual physical activity and impaired glucose tolerance. Clinical Physiology, 5:63-70, 1985.
- Banerji MA, Lebovitz HE. Coronary heart disease risk factor profiles in black patients with non-insulin-dependent diabetes mellitus: paradoxical patterns. American Journal of Medicine, 91:51-59, 1991.
- Banerji MA, Norin AJ, Chaiken RL, Lebovitz HE. HLA-DQ associations distinguish insulin-resistant and insulin-sensitive variants of NIDDM in black Americans. Diabetes Care, 16:429-433, 1993.
- Barrett-Connor E. Epidemiology, obesity and non-insulin-dependent diabetes mellitus. Epidemiology Review, 11:172-181, 1989.
- Barrett-Connor EL; Cohn BA; Wingard DL; Edelstein SL. Why is diabetes mellitus a stronger risk factor for fatal ischemic heart disease in women than in men? JAMA 1991 265:627-631, 1991.
- Bengtsson C, Blohme G, Lapidus L, Lindquist O, Lundgren H, Nystrom E, Petersen K, Sigurdsson JA. Do antihypertensive drugs precipitate diabetes? British Medical Journal (Clin Res Ed), 289: 1495-1497, 1984.
- Bergstrom RW, Newell-Morris LL, Leonetti DL, Shuman WP, Wahl PW, Fujimoto WY. Association of elevated fasting c-peptide level and increased intra-abdominal fat distribution with the development of NIDDM in Japanese-American men. Diabetes, 39:104-111, 1990.
- Birmingham Diabetes Survey Working Party. Ten year follow-up report on Birmingham diabetes survey of 1961. British Medical Journal, 35-37, 1976.
- Bourn DM, Mann JI, McSkimming BJ, Waldron MA, Wishart JD. Impaired glucose tolerance and NIDDM: does lifestyle intervention program have an effect. Diabetes Care, 17:1311-1319, 1994.
- Brunzell JD, Robertson RP, Lerner RL, Hazzard, WR, Ensinn JW, Bierman EL, Porte D Jr. Relationships between fasting plasma glucose levels and insulin secretion during intravenous glucose tolerance tests. Journal of Clinical Endocrinology and Metabolism, 42:222-229, 1976.
- Burchfiel CM, Curb JD, Rodriguez BL, Yano K, Hwang LJ, Fong KO, Marcus EB. Incidence and predictors of diabetes in Japanese-American men. The Honolulu Heart Program. Annals of Epidemiology, 5:33-43, 1995.
- Chaiken RL, Banerji MA, Huey H, Lebovitz HE. Do blacks with NIDDM have an insulin-resistance syndrome. Diabetes, 42:444-449, 1993.
- Chiasson JL, Josse RG, Hunt JA, Palmason C, Rodger NW, Ross SA, Ryan EA, Tan MH, Wolever, TM. The efficacy of acarbose in the treatment of patients with non-insulin-dependent diabetes mellitus. Annals of Internal Medicine, 121:928-935, 1994.
- Colditz GA, Willett WC, Stampfer MJ, Manson JE, Hennekens CH, Arky RA, Speizer FE. Weight as a risk factor for clinical diabetes in women. American Journal of Epidemiology, 132:501-513, 1990.
- Conover WJ. Practical Nonparametric Statistics, New York, Wiley, 1980.
- Coustan DR, Carpenter MW, O'Sullivan PS, Carr SR. Gestational diabetes: predictors of subsequent disordered glucose metabolism. American Journal Obstetrics and Gynecology, 168:1139-1144, 1993.
- Cowie CC, Harris MI, Silverman RE, Johnson EW, Rust KF. Effect of multiple risk factors on differences between blacks and whites in the prevalence of non-insulin-dependent diabetes mellitus in the United States. American Journal of Epidemiology, 137:719-732, 1993.

- Cowie CC, Port FK, Wolfe RA, Savage PJ, Moll PP, Hawthorne VM. Disparities in incidence of diabetic end-stage renal disease according to race and type of diabetes. The New England Journal of Medicine, 321:1074-1079, 1989.
- Curb JD, Aluli NE, Kautz JA, Petrovitch H, Knutsen SF, Knutsen R, O'Conner HK, O'Conner WE. Cardiovascular risk factor levels in ethnic Hawaiians. American Journal of Public Health, 81:164-167, 1991.
- Damm P, Kuhl C, Hornnes P, Molsted-Perersen L. A longitudinal study of plasma insulin and glucose in women with previous gestational diabetes. Diabetes Care, 18:654-665, 1995.
- DeFronzo RA, Goodman AM. Efficacy of metformin in patients with non-insulin-dependent diabetes mellitus. The Multicenter Metformin Study Group. New England Journal of Medicine, 333:541-549, 1995.
- DeFronzo RA. The triumvirate: B-cell, muscle, liver: a collusion responsible for NIDDM. Diabetes, 37:667-687, 1988.
- Denno KM, Sadler TW. Effects of the biguanide class of oral hypoglycemic agents on mouse embryogenesis. Teratology, 49:260-266, 1994.
- Doar JWH, Wilde CE, Thompson ME, Sewell PFJ. Influence of treatment with diet alone on oral glucose-tolerance test and plasma sugar and insulin levels in patients with maturity-onset diabetes mellitus. Lancet, 1: 1263-6, 1975.
- Dowse GK, Zimmet PZ, Gareeboo H, Alberti KG, Tuomilehto J, Finch CF, Chitson P, Tulsidas H. Abdominal obesity and physical inactivity as risk factors for NIDDM and impaired glucose tolerance in Indian, Creole, and Chinese Mauritians. Diabetes Care, 14:271-282, 1991.
- Edelstein SL, Knowler WC, Bain RP, Andres R, Barrett-Connor EL, Dowse GK, Haffner SM, Pettitt DJ, Sorkin JD, Muller DC, Collins VR, and Hamman RF. Predictors of Progression from Impaired Glucose Tolerance to NIDDM: An Analysis of Six Prospective Studies. Diabetes, 46:701-710, 1997.
- Eriksson J, Franssila-Kallunki A, Ekstrand A, Saloranta C, Widen E, Schalin C, Groop L. Early metabolic defects in persons at increased risk for non-insulin-dependent diabetes mellitus. The New England Journal Medicine, 321:337-43, 1989.
- Eriksson KF, Lindgarde F. Prevention of Type II (non-insulin-dependent) diabetes mellitus by diet and physical exercise: the 6-year Malmo feasibility study. Diabetologia, 34:891-898, 1991.
- Eriksson KF, Saltin B, Lindgarde F. Increased skeletal muscle capillary density precedes diabetes development in men with impaired glucose tolerance. Diabetes, 43:805-808, 1994.
- Eschwege E, Richard JL, Thibault N, Ducimetiere P, Warnet JM, Claude JR, Rosselin GE. Coronary heart disease mortality in relation with diabetes, blood glucose and plasma insulin levels. The Paris Prospective Study, ten years later. Hormone and Metabolism Research, 15 (Suppl):41-46, 1985.
- Everhart JE, Knowler WC, Bennett PH. Incidence and risk factors for non-insulin-dependent diabetes. In: National Diabetes Data Group. Diabetes in America: Washington, D.C.: US GPO, 1985(NIH publication no 85-1468).
- Flegal KM, Ezzati TM, Harris MI, Haynes SG, Juarez RZ, Knowler WC, Perez-Stable EJ, Stern MP. Prevalence of diabetes in Mexican Americans, Cubans, and Puerto Ricans from the Hispanic Health and Nutrition Examination Survey, 1982-1984. Diabetes Care, 14:628-638, 1991.
- Flemming TR, Harrington DP. Counting process and survival analysis. New York: Wiley, 1991.
- Fujimoto WY, Leonetti DL, Kinyoun JL, Shuman WP, Stolov WC, Wahl PW. Prevalence of complications among second-generations Japanese-American men with diabetes, impaired glucose tolerance, or normal glucose tolerance. Diabetes, 36:730-739, 1987.
- Fujimoto WY. Diabetes in Asian and Pacific Islander Americans. In: Harris, MI (ed.), Diabetes in America, NIH, Washington, DC, 1995, pp. 661-681.
- Fuller JH, Shipley MJ, Rose G, Jarrett RJ, Keen H. Coronary-heart-disease risk and impaired glucose tolerance. The Whitehall study. Lancet, 1: 1373-1376, 1980.
- Garancini MP, Calori G, Ruotolo G, Manara E, Izzo A, Ebbli E, Bozzetti AM Boari L, Lazzari P, Gallus G. Prevalence of NIDDM and impaired glucose tolerance in Italy: an OGTT-based population study. Diabetologia, 38:306-313, 1995.
- Geiss LS, Herman WH, Goldschmid MG, DeStefano. Surveillance for Diabetes Mellitus - United States, 1980-1989. Morbidity and Mortality Weekly Report, 42:1-19, 1993.
- Glynn, Thomas J.; Manley, Marc. How to help your patients stop smoking/G. : a National Cancer Institute manual for physicians. [Bethesda, Md.] :/Smoking, Tobacco, and Cancer Program, Division of Cancer Prevention and Control, National Cancer Institute, U.S. Dept. of Health and Human Services, Public Health Service, National Institutes of Health,/1989. (NIH publication :/89-3064/G).

- Grant PT, Oats JN, Beischer NA. The long-term follow-up of women with gestational diabetes. Austrian and New Zealand Journal Obstetrics and Gynecology, 16:17-22, 1986.
- Gray DS, Fujioka K, Devine W, Bray GA. A randomized double-blind clinical trial of fluoxetine in obese diabetics. International Journal of Obesity and Related Metabolic Disorders, 16 (Suppl 4):S67-72, 1992.
- Guidelines for perinatal care. /N. 2nd ed. ed. Elk Grove Village, Ill. :/American Academy of Pediatrics ; Washington, DC : American College of Obstetricians and Gynecologists, /c1988.
- Haffner SM, Hazuda HP, Mitchell BD, Patterson JK, and Stern MP. Increased incidence of Type II diabetes mellitus in Mexican Americans. Diabetes Care, 14:102-108, 1991.
- Haffner SM, Stern MP, Hazuda HP, Mitchell BD, Patterson JK. Cardiovascular risk factors in confirmed prediabetic individuals: does the clock for coronary heart disease start ticking before the onset of clinical diabetes? JAMA, 263:2893-2898, 1990.
- Haffner SM, Stern MP, Hazuda HP, Pugh JA, Patterson JK. Do upper body and centralized adiposity measure different aspects of body fat distribution? Relationship to non-insulin dependent diabetes mellitus, lipids and lipoproteins. Diabetes, 36:43-51, 1987.
- Haffner SM, Valdez RA, Hazuda HP, Mitchell BD, Morales PA, Stern MP. Prospective analysis of the insulin resistance syndrome (Syndrome X). Diabetes, 41:715-722, 1992.
- Hanson RL, Pettitt DJ, Bennett PH, Narayan KM, Fernandes R, de Courten M, Knowler WC. Familial relationships between obesity and NIDDM. Diabetes, 44:418-422, 1995.
- Harris MI, Hadden WC, Knowler WC, and Bennett PH. Prevalence of diabetes and impaired glucose tolerance and plasma glucose levels in U.S. population aged 20-74 years. Diabetes, 36:523-534, 1987.
- Harris MI. Impaired glucose tolerance in the U.S. population. Diabetes Care, 12:464-474, 1989.
- Harris MI. Non-insulin-dependent diabetes mellitus in black and white Americans. Diabetes/Metabolism Reviews, 6:71-90, 1990.
- Harris MI. Epidemiological correlates of NIDDM in Hispanics, Whites and Blacks in the U.S. population. Diabetes Care, 14:639-648, 1991.
- Helmrich SP, Ragland DR, Leung RW, Paffenbarger RS. Physical activity and reduced occurrence of non-insulin-dependent diabetes mellitus. The New England Journal of Medicine, 325:147-152, 1991.
- Henry OA, Beischer NS. Long-term implications of gestational diabetes for the mother. Bailliere's Clinical Obstetrics and Gynecology, 5:461-483, 1991.
- Hoy WE; Megill DM; Hughson MD. Epidemic renal disease of unknown etiology in the Zuni Indians. American Journal of Kidney Diseases, 9:485-496, 1987.
- Hypertension Prevention Trial Research Group. The Hypertension Prevention Trial: three-year effects of dietary changes on blood pressure. Archives of Internal Medicine, 150:153-162, 1990.
- Jackson WPV. Diagnosis and dietary management of mild and borderline diabetes. In Proceedings of the VIII Congress, Malaise WJ, ed. Amsterdam Excerpta Medica, 1974, p. 639.
- Jarrett RJ, Keen H, Fuller H, and McCartney M. Worsening to diabetes in men with impaired glucose tolerance ("Borderline Diabetes"). Diabetologia, 16:25-30, 1979.
- Jarrett RJ. Epidemiology and public health aspects of non-insulin-dependent diabetes mellitus. Epidemiological Review, 11:151-171, 1989.
- Kadowaki T, Miyake Y, Hagura R, Akanuma Y, Kajinuma H, Kuzuya N, Takaku F, Kosaka K. Risk factors for worsening to diabetes in subjects with impaired glucose tolerance. Diabetologia, 26:44-49, 1984.
- Kalbfleisch JD, Prentice RL. The Statistical Analysis of Failure Time Data. New York: John Wiley, 1980.
- Kannel, WB, McGee DL. Diabetes and glucose tolerance as risk factors for cardiovascular disease: the Framingham study. Diabetes Care, 2: 120-6, 1979.
- Kawate R, Yamakido M, Nishimoto Y, Bennett PH, Hamman RF, Knowler WC. Diabetes mellitus and its vascular complications in Japanese migrants on the Island of Hawaii. Diabetes Care, 2:161-170, 1979.
- Keen H, Jarrett RJ, McCartney P. The ten-year follow-up of the Bedford Survey (1962-1972): Glucose tolerance and diabetes. Diabetologia, 22:73-78, 1982.
- King H, Rewers M, and the WHO Ad Hoc Diabetes Reporting Group. Global estimates for prevalence of diabetes mellitus and impaired glucose tolerance in adults. Diabetes Care, 16:157-177, 1993.
- King H, Rewers M. Diabetes in adults is now a Third World problem. The WHO Ad Hoc Diabetes Reporting Group. Bulletin World Health Organization, 69:643-648, 1991.

- King H, Zimmet P, Raper LR, Balkau B. Risk factors for diabetes in three Pacific populations. American Journal of Epidemiology, 119: 396-409, 1984.
- Kjos SL, Peters RK, Xiang A, Henry OA, Montoro M, Buchanan TA. Predicting future diabetes in Latino women with gestational diabetes. Utility of early postpartum glucose tolerance testing. Diabetes, 44:586-591, 1995.
- Klein R, Klein BEK, Linton KLP, Moss SE. Microalbuminuria in a population-based study of diabetes. Archives of Internal Medicine, 152:153-158, 1992.
- Knowler WC, Bennett PH, Hamman RF, Miller M. Diabetes incidence and prevalence in Pima Indians: a 19-fold greater incidence than in Rochester, Minnesota. American Journal of Epidemiology, 108:497-505, 1978.
- Knowler WC, Pettit DJ, Savage PJ, Bennett PH. Diabetes incidence in Pima Indians: contributions of obesity and parental diabetes. American Journal of Epidemiology, 113:144-156, 1981.
- Kovar MG, Harris MI, and Hadden WC. The scope of diabetes in the United States population. American Journal of Public Health, 77:1549-1550, 1987.
- Kumanyika SK, Obarzanek E, Stevens VJ, Herbert PR, Whelton PK. Weight-loss experience of black and white participants in NHLBI-sponsored clinical trials. American Journal of Clinical Nutrition, 53:1631S-1638S, 1991.
- Lachin JM and Foulkes MA. Evaluation of sample size and power for analyses of survival with allowance for nonuniform patient entry, losses to follow-up, noncompliance, and stratification. Biometrics, 42:509-519, 1986.
- Lachin JM, Wei LJ. Estimators and tests in the analysis of multiple nonindependent 2 x 2 tables with partially missing observations. Biometrics, 44: 513-28, 1988.
- Lagakos SW, Lim LL, Robins JM. Adjusting for early treatment termination in comparative clinical trials. Statistics in Medicine, 9:1417-1424, 1990.
- Laird NM, Ware JH. Random-effects models for longitudinal data. Biometrics, 38:963-74, 1982.
- Lam KS, Li DF, Lauder IJ, Lee CP, Kung AWC, Ma JTC. Prediction of persistent carbohydrate intolerance in patients with gestational diabetes. Diabetes Research and Clinical Practice, 12:181-186, 1991.
- Lan KK, Lachin JM. Implementation of group sequential logrank tests in a maximum duration trial. Biometrics, 46:759-70, 1990.
- Lan KK and DeMets DL. Discrete sequential boundaries for clinical trials. Biometrika, 64:191-199, 1983.
- Leahy JL. Natural history of b-cell dysfunction in NIDDM. Diabetes Care, 13:992-1010, 1990.
- Lee ET, Howard BV, Savage PJ, Cowan LD, Fabsitz RR, Oopik AJ, Yeh J, Go O, Robbins DC, Welty TK. Diabetes and impaired glucose tolerance in three American Indian populations aged 45-74 years. Diabetes Care, 18:599-610, 1995.
- Levine LR, Enas GG, Thompson WL, Byyny RL, Dauer AD, Kirby RW, Kreindler TG, Levy B, Lucas CP, McIlwain HH, et al. Use of fluoxetine, a selective serotonin-uptake inhibitor, in the treatment of obesity: a dose-response study. International Journal of Obesity, 13: 635-645, 1989.
- Liang K, Zeger SL. Longitudinal data analysis using generalized linear models, Biometrika, 73:13-22, 1986.
- Long SD, O'Brien K, MacDonald KG, Leggett-Frazier N, Swanson MS, Pories WJ, Caro JF. Weight loss in severely obese subjects prevents the progression of impaired glucose tolerance to type II diabetes. Diabetes Care, 17:372-375, 1994.
- Manson JE, Nathan DM, Krolewski AS, Stampfer MJ, Willett WC, and Hennekens CH. A prospective study of exercise and incidence of diabetes among US male physicians. JAMA, 268:63-67, 1992.
- Manson JE, Rimm EB, Stampfer MJ, Colditz GA, Willett WC, Krolewski As, Rosner B, Hennekens CH, Speizer FE. Physical activity and incidence of non-insulin-dependent mellitus in women. Lancet, 338:774-778, 1991.
- Mau M, Grandinetti A, Arakaki RF, Ladao NKB, Chang HK, Curb DJ. Diabetes Mellitus and Insulin Resistance Syndrome in Native Hawaiians. American Diabetes Association, 639, 1995 (Abstract).
- McCullagh P. Regression models for ordinal data. Journal of the Royal Statistical Society, 42:109-142, 1980.
- McKeigue PM, Pierpoint T, Ferrie JE, Marmot MG. Relationship of glucose intolerance and hyperinsulinaemia to body fat pattern in south Asians and Europeans. Diabetologia, 35:785-791, 1992.
- McPhillips JB, Barrett-Connor E, Wingard DL. Cardiovascular disease risk factors prior to the diagnosis of impaired glucose tolerance and non-insulin-dependent diabetes mellitus in a community of older adults. American Journal of Epidemiology, 131:443-453, 1990.
- Megill DM, Hoy WE, Woodruff SD. Rates and causes of end-stage renal disease in Navajo Indians, 1971-1985. West J Med, 149:178-182. 1988.

- Meigs J, Singer D, Nathan DM, et al. Metabolic abnormalities associated with glucose intolerance extend across the spectrum of prevalent glucose intolerance in 3297 Framingham offspring study subjects. Diabetes, 44: in press, 1995.
- Metzger BE, Bybee DE, Freinkel N, Phelps RL, Radvany RM, Vaisrub N. Gestational Diabetes Mellitus. Correlations between the phenotypic and genotypic characteristics of the mother and abnormal glucose tolerance during the first year postpartum. Diabetes, 34:115, 1985.
- Miller RG. Simultaneous Statistical Inference. New York, Springer-Verlag, 1981.
- Miller WR, Benefield G, Tonigan JS. Enhancing motivation for change in problem drinking: a controlled comparison of two therapist styles. Journal of Consulting and Clinical Psychology, 61:455-461, 1993.
- Mitchell BD, Valdez R, Hazuda HP, Haffner SM, Monterrosa A, and Stern MP. Differences in the prevalence of diabetes an impaired glucose tolerance according to maternal or paternal history of diabetes. Diabetes Care, 16:1262-1267, 1993.
- Modan M, Halkin H, Almog S, Lusky A, Eshkol A, Shefi M, Shitrit A, Fuchs Z. Hyperinsulinemia. A link between hypertension obesity and glucose intolerance. Journal of Clinical Investigation, 75: 809-817, 1985.
- Modan M, Karasik A, Halkin H, Fuchs Z, Lusky A, Shitrit A., Modan B. Effect of past and concurrent body mass index on prevalence of glucose intolerance and type 2 (non-insulin-dependent) diabetes and on insulin response. The Israel study of glucose intolerance, obesity and hypertension. Diabetologia, 29: 82-89, 1986.
- Monterrosa A, Haffner SM, Stern MP, Hazuda HP. Sex difference in lifestyle factors predictive of diabetes in Mexican-Americans. Diabetes Care, 18:448-456, 1995.
- Mykkanen L, Haffner SM, Ronnema T, Bergman R, Leino A, Laakso M. Is there a sex difference in the association of plasma insulin level and insulin sensitivity with serum lipids and lipoproteins. Metabolism, 43:523-528, 1994.
- Nathan DM. Long-term complications of diabetes mellitus. New England Journal of Medicine, 328:1676-85, 1993.
- National Diabetes Data Group. Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance. Diabetes, 28:1039-1057, 1979.
- National Institute of Diabetes and Digestive and Kidney Diseases. Diabetes Statistics. Bethesda, National Institutes of Health, 1995 (NIH Publication No. 96-3926).
- Nelson RG, Newman JM, Knowler WC, Sievers ML, Kunzelman CL, Pettitt DJ, Moffett CD, Teutsch SM, Bennett PH. Incidence of end-stage renal disease in type 2 (non-insulin-dependent) diabetes mellitus in Pima Indians. Diabetologia, 31:730-736, 1988
- Nolan JJ, Ludvik B, Beerdsen P, Joyce M, Olefsky J. Improvement in glucose tolerance and insulin resistance in obese subjects treated with troglitazone. New England Journal of Medicine, 331:1188-93, 1994.
- O'Rahilly S, Turner RC, Matthews DR, Phil D. Impaired pulsatile secretion of insulin in relatives of patients with non-insulin-dependent diabetes. New England Journal of Medicine, 318:1225-30,1988.
- O'Sullivan JB, Mahan CM. Prospective study of 352 young patients with chemical diabetes. New England Journal of Medicine, 278:1038-1041, 1968.
- O'Brien PC, Fleming TR. A multiple testing procedure for clinical trials. Biometrics, 35:549-556, 1979.
- O'Sullivan JB, Mahan CM. Blood sugar levels, glycosuria, and body weight related to development of diabetes mellitus. Journal of the American Medical Association, 194:117-122, 1965.
- O'Sullivan JB. Diabetes Mellitus After GDM. Diabetes, 40(Suppl 2):131-135, 1991.
- Ohlson L-O, Larsson B, Svardsudd K, Welin L, Eriksson H, Wilhelmsen L, Fjorntorp P, Tibblin G. The influence of body fat distribution on the incidence of diabetes mellitus: 13.5 years of follow-up of the participants in the study of men born in 1913. Diabetes, 34:1055-1058, 1985.
- Pan X, Guangwei L, Yinghua H, Jixing W, Bennett PH, Howard BV. Effect of dietary and/or exercise interventions on incidence of diabetes in 530 subjects with IGT - The Da-Qing IGT and diabetes study. IDF Federation Congress Program, 489, 1994 (Abstract).
- Parke Davis. Troglitazone Investigator Manual
- Peduzzi P, Wittes J, Detre K, Holford T. Analysis as-randomized and the problem of non-adherence: an example from the Veterans Affairs Randomized Trial of Coronary Artery Bypass Surgery. Statistics in Medicine, 12:1185-1195, 1993.
- Perry IJ, Wannamethee SG, Walker MK, Thomson AG, Whincup PH, Shaper AG. Prospective study of risk factors for the development of non-insane dependent diabetes in middle aged British men. British Medical Journal, 310: 560-564, 1995.

- Rubin RJ, Altman WM, Mendelson DN. Health care expenditures for people with diabetes mellitus, 1992. Journal of Clinical Endocrinology and Metabolism, 78:809A-809F, 1994.
- Rudnichi A, Fontbonne A, Safar M, Bard JM, Vague P, Juhan-Vague I, Eschwege E, and the BIGPRO Study Group. The effect of metformin on the metabolic anomalies associated with android type body fat distribution. Results of the BIGPRO Trial. Diabetes, 43(Suppl 1):150A, 1994.
- Saad MF, Knowler WC, Pettitt DJ, Nelson RG, and others. A two-step model for development of non-insulin-dependent diabetes. American Journal of Medicine, 90:229-235, 1991.
- Saad MF, Knowler WC, Pettitt DJ, Nelson RG, Mott SM, and Bennett PH. The natural history of impaired glucose tolerance in the Pima Indians. The New England Journal of Medicine, 319:1500-1506, 1988.
- Salomaa VV, Jauhiainen M, Pietinen P, Korhonen HJ, Kartovaara L, Vartiainen E, Tuomilehto J. Five-year trend in serum HDL-lipoprotein cholesterol in the Finnish population aged 25-64 years. A suggestion of an increase. Atherosclerosis, 86: 39-48, 1991.
- Sartor G, Schersten B, Carlstrom S, Melander A, Norden A, Persson G. Ten-year follow-up of subjects with impaired glucose tolerance: prevention of diabetes by tolbutamide and diet regulation. Diabetes, 29:41-44, 1980.
- Savage PJ, Bennion LJ, Nagulesparan M, Mott DM, Roth J, Unger RH, Bennett PH. Diet-induced improvement of abnormalities in insulin and glucagon secretion and in insulin receptor binding in diabetes mellitus. Journal of Clinical Endocrinology Metabolism, 48:999-1007, 1979.
- Saxman KA, Barrett-Connor EL, Morton DJ. Thiazide-associated metabolic abnormalities and estrogen replacement therapy: an epidemiological analysis of postmenopausal women in Rancho Bernardo, California. Journal of Clinical Endocrinology and Metabolism, 78:1059-1063, 1994.
- Schneider, S. H.; Khachadurian, A. K.; Amorosa, L. F.; Clemow, L.; Ruderman, N. B. Ten-year experience with an exercise-based outpatient life-style modification program in the treatment of diabetes mellitus. Diabetes Care, 15:1800-10, 1992.
- Second report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel II). Detection, evaluation, and treatment of high blood cholesterol in adults/. [Bethesda, MD] :National Cholesterol Education Program, National Institutes of Health, National Heart, Lung, and Blood Institute, 1993]. (NIH publication; no. 93-3095/G).
- Sicree RA, Zimmet PZ, King HOM, Coventry JS. Plasma insulin response among Nauruans: prediction of deterioration in glucose tolerance over 6 years. Diabetes, 36:179-186, 1987.
- Skarfors ET, Lithell HO, Selinus I, Aberg H. Do antihypertensive drugs precipitate diabetes in predisposed men? BMJ, 298: 1147-1152, 1989.
- Stamler R, Stamler J, Grimm R, Gosch FC, Elmer P, Dyer A, Berman R, Fishman J, Van Heel J, Cininelli J, McDonald A. Nutritional therapy for high blood pressure: final report of a four-year randomized controlled trial - The Hypertension Control Program. Journal of the American Medical Association, 257:1484-1501, 1987.
- Stamler R, Stamler J, Schoenberger JA, Shekelle RB, Collette P, Shekelle S, Dyer A, Garside D, Wannamaker J. Relationship of glucose tolerance to prevalence of ECG abnormalities and to 5-year mortality from cardiovascular disease: findings of the Chicago Heart Association Detection Project in Industry. Journal of Chronic Diseases, 32: 817-828, 1979.
- Taylor R, Ram P, Zimmet P, Raper LR, Ringrose H. Physical activity and prevalence of diabetes in Melanesian and Indian men in Fiji. Diabetologia, 27: 578-582, 1984.
- Trials of Hypertension Prevention Collaborative Research Group. The effects of nonpharmacologic interventions on blood pressure of persons with high normal levels. Journal of American Medical Association, 267:1213-1220, 1992.
- UKPDS Group. United Kingdom Prospective Diabetes Study 13. Relative efficacy of randomly allocated diet, sulphonylurea, insulin, or metformin in patients with newly diagnosed non-insulin dependent diabetes followed for three years. British Medical Journal, 310:83-88, 1995.
- Valiquett T, Balagtas B, Whitcomb R. Troglitazone Dose-Response Study in Patients with NIDDM. American Diabetes Association, 406, 1995 (Abstract).
- Warram JH, Martin BC, Krolewski AS, Soeldner JS, Kahn CR. Slow glucose removal rate and hyperinsulinemia precede the development of type II diabetes in the offspring of diabetic parents. Annals of Internal Medicine, 113: 909-15, 1990.
- Wei LJ, Lachin JM. Two-sample asymptotically distribution-free tests for incomplete multivariate observations. Journal of the American Statistical Association, 79:653-661, 1984.
- Wei LJ, Lachin JM. Properties of Urn Randomization in Clinical Trials. Controlled Clinical Trials, 9:345-364, 1988.

- Wei LJ. The accelerated failure time model: a useful alternative to the Cox regression model in survival analysis. Statistics in Medicine, 11:1871-1879, 1992.
- West KM, Kalbfleisch JM. Influence of nutritional factors on prevalence of diabetes. Diabetes, 20: 99-108, 1971.
- West KM. Epidemiology of Diabetes and Its Vascular Lesions. New York: Elsevier, 1978.
- Wingard DL, Barrett-Connor EL, Scheidt-Nave C, McPhillips JB. Prevalence of cardiovascular and renal complications in older adults with normal or impaired glucose tolerance or NIDDM. Diabetes Care, 16:1022-1025, 1993.
- World Health Organization. WHO Expert Committee on Diabetes Mellitus, Second Report. Geneva, World Health Organization, 1980 (Tech. Rep. Ser. No. 646).
- Yudkin JS, Alberti KGMM, McLarty DG, Swai GPM. Impaired glucose tolerance. British Medical Journal, 301:397-402, 1990.
- Yudkin JS. Hypertension and non-insulin dependent diabetes. BMJ, 303: 730-732, 1991.
- Zimmet P, Type II (non-insulin dependent) diabetes--an epidemiological overview. Diabetologia, 22:399-411, 1982.

### **14.1 Section 14.1 Bibliography for Background to the Washout Study**

- Diabetes Prevention Program Research Group. The Diabetes Prevention Program: Design and methods for a clinical trial in the prevention of type 2 diabetes mellitus. Diabetes Care 1999, 22:623-34.
- Bailey CJ. Biguanides and NIDDM. Diabetes Care 1992;15:755-72.
- Strumvoll M, Nurgham N, Perriello G, et al. Metabolic effects of metformin in non-insulin-dependent diabetes mellitus. N Engl J Med 1995;333:550-54.
- Bailey CJ, Turner RC. Metformin. N Engl J Med 1996;334:574-79.